

Welcome To BAICAI ,

Deep Exploration With YTBCM Excavator!

Baicai excavators have advantages such as flexibility, practicality, stability, reliability, economic efficiency, and low fuel consumption, Beautiful appearance and wide application.

Professional Excavator & Excavator Attachments Manufacturer Since 2004

OEM & ODM

Factory price

Customizable

Low MOQ



YTBCM | DX230



Low Fuel Consumption

High Efficiency

Yantai Baicai Machinery Co., Ltd.

FREE CUSTOM SERVICE

DX-230 Mini Excavator suitable for multiple environments

Product Descriptions

Our YTBCM excavator has redefined industry standards through customized services, durability, and excellent after-sales service. We provide customized services and lucrative incentive measures based on market demand to maximize profitability.

In addition, we provide 24-hour after-sales service, including equipment installation, commissioning and maintenance, as well as on-site service, all of which are aimed at establishing long-term cooperative relationships with our partners and customers, connecting with BAICAI, and unleashing unlimited opportunities in the construction industry



Professional Excavator & Excavator Attachments Manufacturer Since 2004



Mini Excavator



Big Excavator



DX230LC-C

BAICAI EXCAVATOR

Machine weight (ton):21.8-23.8

Bucket capacity (m³):1-1.3



DX230LC-C Ten improvements

- ▶ Heavy duty design of upper support wheel
- ▶ Seat double lock slide
- ▶ Improved seat comfort
- ▶ the exhaust pipe with a soft connection
- ▶ Improved audio quality
- ▶ Function switch improves reliability
- ▶ the safety switch to lift free
- ▶ Add pilot solenoid valve for emergency
- ▶ Strengthen the weak areas of arms
- ▶ Improve the wear resistance of bearings



DX230LC-C	CONFIGURATION	PARAMETERS	MAIN DIMENSIONS
Engine model	WuShiLing4HK1	Diesel tank (L)	350
Rated power (kw/rpm)	133/2000	Hydraulic oil tank (L)	240
hydraulic pump	ChuanQi k3v112	Whole machine weight (ton)	21.8-23.8
control valve	KYB	Bucket capacity(m³)	1-1.3
running gear	ChuanQi	Crushing Hammer (Suitable)	140 Hammer
rotator	DouShan	emission standard	G3
		Length (mm)	9600
		Height (mm)	3030
		Width (mm)	2990
		Track shoe width (mm)	600
		Arm length (mm)	5700
		Rod length (mm)	2900

DX320LC-C

BAICAI EXCAVATOR

Machine weight (ton):30-34

Bucket capacity (m³):1.5-1.7



DX320LC-C Ten improvements

- ▶ Heavy duty design of upper support wheel
- ▶ Seat double lock slide
- ▶ Improved seat comfort
- ▶ the exhaust pipe with a soft connection
- ▶ Improved audio quality
- ▶ Function switch improves reliability
- ▶ the safety switch to lift free
- ▶ Add pilot solenoid valve for emergency
- ▶ Strengthen the weak areas of arms
- ▶ Improve the wear resistance of bearings






DX320LC-C	CONFIGURATION	PARAMETERS	MAIN DIMENSIONS
Engine model	WuShiLing6HK1	Diesel tank (L)	450
Rated power (kw/rpm)	212/2000	Hydraulic oil tank (L)	290
hydraulic pump	ChuanQi	Whole machine weight (ton)	30-34
control valve	DouShan	Bucket capacity(m ³)	1.5-1.7
running gear	DouShan	Crushing Hammer (Suitable)	155 Hammer
rotator	YiDun	emission standard	G3
		Length (mm)	10620
		Height (mm)	3365
		Width (mm)	3200
		Track shoe width (mm)	600
		Arm length (mm)	6245
		Rod length (mm)	3100

DX320LC-C

BAICAI EXCAVATOR

TECHNICAL PARAMETERS



DX320LC-C		SIZE CHART	
ARM	BOOM	6245	(mm)
ROD	ARM	3100	(mm)
A		10702	(mm)
B		10506	(mm)
C		7275	(mm)
D		7303	(mm)
E		2778	(mm)
F		10315	(mm)
G		8885	(mm)
H		4907	(mm)
I		8079	(mm)
J		7104	(mm)
K		3108	(mm)
L		417	(mm)

DX320LC-C		SIZE CHART	
M		4019	(mm)
N		3188	(mm)
O		3515	(mm)
P		3697	(mm)
Q		10615	(mm)
R		3199	(mm)
S		1150	(mm)
T		3365	(mm)
U		2960	(mm)
V		818	(mm)
W		1007	(mm)
X		4039	(mm)
Y		4940	(mm)
Z		3200	(mm)

DX380LC-C

YINGSHI EXCAVATOR

Machine weight (ton):37.8-39.8

Bucket capacity (m³):1.7-2.0



DX380LC-C Ten improvements




- ▶ Heavy duty design of upper support wheel
- ▶ Seat double lock slide
- ▶ Improved seat comfort
- ▶ the exhaust pipe with a soft connection
- ▶ Improved audio quality
- ▶ Function switch improves reliability
- ▶ the safety switch to lift free
- ▶ Add pilot solenoid valve for emergency
- ▶ Strengthen the weak areas of arms
- ▶ Improve the wear resistance of bearings



DX380LC-C	CONFIGURATION	PARAMETERS	MAIN DIMENSIONS
Engine model	WuShiLing6HK1	Diesel tank (L)	610
Rated power (kw/rpm)	212/2000	Hydraulic oil tank (L)	420
hydraulic pump	ChuanQi	Whole machine weight (ton)	37.8-39.8
control valve	KYB	Bucket capacity(m ³)	1.7-2.0
running gear	DouShan	Crushing Hammer (Suitable)	175 Hammer
		emission standard	G3
		Length (mm)	11380
		Height (mm)	3720
		Width (mm)	3350
		Track shoe width (mm)	600
		Arm length (mm)	6500
		Rod length (mm)	2900

DX380_{LC-C}

TECHNICAL PARAMETERS



DX380 _{LC-C}		SIZE CHART
Boom	BOOM	6500 (mm)
Stick	ARM	2900 (mm)
A		10845 (mm)
B		10635 (mm)
C		7135 (mm)
D		7180 (mm)
E		3095 (mm)
F		10100 (mm)
G		8820 (mm)
H		3810 (mm)
I		9060 (mm)
J		6950 (mm)
K		3370 (mm)
L		1830 (mm)

DX380 _{LC-C}		SIZE CHART
M		4485 (mm)
N		3530 (mm)
O		3630 (mm)
P		3720 (mm)
Q		11380 (mm)
R		3350 (mm)
S		1250 (mm)
T		3200 (mm)
U		3155 (mm)
V		835 (mm)
W		1035 (mm)
X		4050 (mm)
Y		4975 (mm)
Z		3350 (mm)

Product Details



CONTACT US

Get A Quick Professional Quote



Application scenarios



Mining



Road maintenance



Housing Demolition



Garden Engineering

Common Attachments

We also provide excavator attachments tools, including hydraulic breakers, quick coupler, buckets, hydraulic grab buckets.

Accessories such as earth auger, flail mowers, rippers, hydraulic plate compactors, etc.

We can also provide mini excavator accessory tools according to customer requirements.

		
hydraulic breakers	grab bucket	silenced type breaker
		
side type breaker	quick coupler	hydraulic pile driver
		
bucket	ripper	flail mower
		
earth auger	plate compactors	thumb

Company Profile





Yantai Baicai Machinery Co., Ltd which established in 1995 specializes in developing, producing and selling excavator accessories. In 2004, we carried on transformation and upgrading and also employed professional Korean engineers, R&D staff and technicians in Korean hydraulic breaker industry. We imported original hydraulic breaker manufacturing equipments from Korea to carry out professional R&D and manufacture of our local brand. While various types of hydraulic breakers were improved gradually, we successfully developed and launched the first large hydraulic breaker in China with 210mm rod diameter in 2010. So far, we have successfully developed and launched well-known hydraulic breaker brands renowned in the industry such as BAI CAI DONGYANG, PTEROSAUR etc. In 2016, we brought more high quality PTEROSAUR series hydraulic breakers to the world market by focusing on global market, expanding our new industrial park, enlarging the production scale and established international trade department. In order to produce perfect hydraulic breaker series products, Yantai Baicai Machinery Co., Ltd. has been striving for excellence to ensure the accuracy of each product quality for over 20 years which effectively improves endurable striking force and stability of each type of breakers. At present, Baicai has become a domestic

leading enterprise in hydraulic breaker industry. The breaker series products developed and launched independently by our company were successfully delivered into the national and global markets. At the same time, we have established a good corporate image with high-quality products and perfect after-sale services . Our strength: We can manufacture all types of high quality excavators and hydraulic breakers .